

Individual and Family Plans

#### Adalimumab-adaz

Fax back to: (833) 605-4407

Phone: (215) 991-4300

Jefferson Health Plans manages the pharmacy drug benefit for your patient. Certain requests for coverage require review with the prescribing physician. Please answer the following questions and fax this form to the number listed above.

PLEASE NOTE: Any information (patient, prescriber, drug, labs) left blank, illegible, or not attached WILL delay the review process.

Patient Name:	Prescriber Name:
Member Number:	Fax: Phone:
Date of Birth:	Office Contact:
Line of Business:  □ Exchange - PA	NPI: State Lic ID:
Address:	Address:
City, State ZIP:	City, State ZIP:
Primary Phone:	Specialty/facility name (if applicable):

**REQUEST FOR EXPEDITED REVIEW:** By checking this box and signing below, I certify that the standard review timeframe may seriously jeopardize the life or health of the enrollee or the enrollee's ability to regain maximum function.

Drug Name:	
Strength:	
Directions / SIG:	

Please attach any pertinent medical history including labs and information for this member that may support approval. Please answer the following questions and sign.	
Q1. Is this a reauthorization request? If YES, go to 2. If NO, go to 3.	
🗌 Yes	□ No
Q2. Is there confirmation of continued positive clinical response since starting adalimumab- adaz?	
🗌 Yes	□ No
Q3. Does the patient have the diagnosis of moderately to severely active rheumatoid arthritis or active psoriatic arthritis? If YES, go to 4. If NO, go to 6.	
🗌 Yes	□ No
Q4. Is the patient 18 years of age or older? If YES, go to 5.	
□ Yes	□ No
Q5. Has the patient had an inadequate response, intolerance, or contraindication to the trial of at least one conventional disease modifying anti-rheumatic drug (cDMARD) (e.g., methotrexate, hydroxychloroquine, sulfasalazine, azathioprine? If YES, go to 29.	



Individual and Family Plans

# Adalimumab-adaz

Fax back to: (833) 605-4407

Phone: (215) 991-4300

Jefferson Health Plans manages the pharmacy drug benefit for your patient. Certain requests for coverage require review with the prescribing physician. Please answer the following questions and fax this form to the number listed above.

PLEASE NOTE: Any information (patient, prescriber, drug, labs) left blank, illegible, or not attached WILL delay the review process.	
Patient Name:	Prescriber Name:
□ Yes	□ No
Q6. Does the patient have the diagnosis of plaqu	ue psoriasis? If YES, go to 7. If NO, go to 11.
□ Yes	🗆 No
Q7. Is the patient 18 years of age or older? If YE	S, go to 8.
	□ No
Q8. Is the disease moderate to severe? If YES, go to 9. If NO, go to 10.	
□ Yes	□ No
Q9. Is the patient a candidate for systemic therapy or phototherapy and had an inadequate response, intolerance, or contraindication to methotrexate OR ultraviolet-B (UVB) therapy OR acitretin (requires no prior authorization under Exchange)? If YES, go to 30.	
□ Yes	□ No
Q10. Does the patient have limited disease and had an inadequate response, intolerance, or contraindication to one topical steroid (high to very high potency) AND calcipotriene 0.005% cream? If YES, go to 30.	
□ Yes	□ No
Q11. Does the patient have the diagnosis of polyarticular juvenile idiopathic arthritis (pJIA)? If YES, go to 12. If NO, go to 14.	
□ Yes	□ No
Q12. Is the patient 2 years of age or older? If YES, go to 13.	
□ Yes	□ No
Q13. Has the patient had an inadequate response, intolerance or contraindication to at least one conventional disease modifying anti-rheumatic drug (cDMARD) (e.g., methotrexate)? If YES, go to 29.	



Individual and Family Plans

# Adalimumab-adaz

Fax back to: (833) 605-4407

Phone: (215) 991-4300

Jefferson Health Plans manages the pharmacy drug benefit for your patient. Certain requests for coverage require review with the prescribing physician. Please answer the following questions and fax this form to the number listed above.

PLEASE NOTE: Any information (patient, prescriber, drug, labs) left blank, illegible, or not attached WILL delay the review process.	
Patient Name:	Prescriber Name:
□ Yes	□ No
Q14. Does the patient have the diagnosis of Cro	hn's disease? If YES, go to 15. If NO, go to 17.
	□ No
Q15. Is the patient 6 years of age or older? If YE	S, go to 16.
	□ No
Q16. Has the patient had an inadequate response, intolerance, or contraindication to one of the following therapies: corticosteroids, conventional DMARDs (such as, azathioprine, 6-mercaptopurine, methotrexate) or lost response to or intolerant to infliximab? If YES, go to 31.	
	□ No
Q17. Does the patient have the diagnosis of ulcerative colitis? If YES, go to 18. If NO, go to 20.	
	□ No
Q18. Is the patient 18 years of age or older? If Y	ES, go to 19.
	□ No
Q19. Has the patient had an inadequate response, intolerance, or contraindication to one of the following: corticosteroids or a conventional DMARD (e.g., azathioprine, 6-mercaptopurine (6-MP))? If YES, go to 31.	
□ Yes	□ No
Q20. Does the patient have the diagnosis of hidradenitis suppurativa? If YES, go to 21. If NO, go to 23.	
	□ No
Q21. Is the patient 18 years of age or older? If YES, go to 22.	
□ Yes	□ No



Individual and Family Plans

# Adalimumab-adaz

Fax back to: (833) 605-4407

Phone: (215) 991-4300

Jefferson Health Plans manages the pharmacy drug benefit for your patient. Certain requests for coverage require review with the prescribing physician. Please answer the following questions and fax this form to the number listed above. PLEASE NOTE: Any information (patient, prescriber, drug, labs) left blank, illegible, or not attached WILL delay the review process.

PLEASE NOTE: Any mormation (patient, prescriber, drug, la	bs) left blank, illegible, or not attached WILL delay the review process.
Patient Name:	Prescriber Name:
Q22. Has the patient had an inadequate response, intolerance or contraindication to at least 2 of the following therapies: A) topical antibiotics (e.g., clindamycin), B) oral antibiotics (e.g., doxycycline, minocycline, amoxicillin-clavulanic acid, clindamycin, rifampin, dapsone), and C) intralesional triamcinolone injections? If YES, go to 30.	
	□ No
Q23. Does the patient have the diagnosis of uve	itis? If YES, go to 24. If NO, go to 26.
□ Yes	□ No
Q24. Is the patient 18 years of age or older? If YES, go to 25.	
□ Yes	□ No
Q25. Has the patient had an inadequate response, intolerance, or contraindication to at least one of the following: A) oral or topical glucocorticoids (prednisone, methylprednisolone, prednisolone), B) immunosuppressive agents (e.g., azathioprine, methotrexate, cyclosporine), or C) periocular or intraocular injection (triamcinolone)? If YES, go to 32.	
□ Yes	□ No
Q26. Does the patient have the diagnosis of ankylosing spondylitis (AS)? If YES, go to 27.	
□ Yes	□ No
Q27. Is the patient 18 years of age or older? If YES, go to 28.	
□ Yes	□ No
Q28. Does the patient have a documented history of an inadequate response, intolerance, or contraindication to at least 2 nonsteroidal anti-inflammatory drugs (NSAIDs)? If YES, go to 29.	
□ Yes	□ No
Q29. Is adalimumab-adaz being prescribed by or in consultation with a rheumatologist? If YES, go to 33.	



Individual and Family Plans

## Adalimumab-adaz

Fax back to: (833) 605-4407

Phone: (215) 991-4300

Jefferson Health Plans manages the pharmacy drug benefit for your patient. Certain requests for coverage require review with the prescribing physician. Please answer the following questions and fax this form to the number listed above.

Patient Name:       Prescriber Name:         □ Yes       □ No         Q30. Is adalimumab-adaz being prescribed by or in consultation with a dermatologist? If YES, go to 33.       □ Yes         □ Yes       □ No         Q31. Is adalimumab-adaz being prescribed by or in consultation with a gastroenterologist? If YES, go to 33.         □ Yes       □ No         Q32. Is adalimumab-adaz being prescribed by or in consultation with an ophthalmologist? If YES, go to 33.         □ Yes       □ No         Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.         □ Yes       □ No         Q34. Was the tuberculin skin test negative?       □ No         Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?       □ No		bs) left blank, megible, or not attached will delay the review process.
Q30. Is adalimumab-adaz being prescribed by or in consultation with a dermatologist? If YES, go to 33.         □ Yes       □ No         Q31. Is adalimumab-adaz being prescribed by or in consultation with a gastroenterologist? If YES, go to 33.         □ Yes       □ No         Q32. Is adalimumab-adaz being prescribed by or in consultation with an ophthalmologist? If YES, go to 33.         □ Yes       □ No         Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.         □ Yes       □ No         Q34. Was the tuberculin skin test negative?       □ No         Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease control and Prevention (CDC) guidelines?	Patient Name:	Prescriber Name:
to 33.   Yes   Q31. Is adalimumab-adaz being prescribed by or in consultation with a gastroenterologist? If   YES, go to 33.   Yes   Q32. Is adalimumab-adaz being prescribed by or in consultation with an ophthalmologist? If YES, go to 33.   Q32. Is adalimumab-adaz being prescribed by or in consultation with an ophthalmologist? If YES, go to 33.   Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.   Q34. Was the tuberculin skin test negative?   Yes   Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?	🗌 Yes	□ No
Q31. Is adalimumab-adaz being prescribed by or in consultation with a gastroenterologist? If         YES, go to 33.         Yes       No         Q32. Is adalimumab-adaz being prescribed by or in consultation with an ophthalmologist? If YES, go to 33.         Yes       No         Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.         Yes       No         Q34. Was the tuberculin skin test negative?         Yes       No         Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?		
YES, go to 33.       No         Q32. Is adalimumab-adaz being prescribed by or in consultation with an ophthalmologist? If YES, go to 33.         Yes       No         Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.         Yes       No         Q34. Was the tuberculin skin test negative?       No         Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?	□ Yes	□ No
Q32. Is adalimumab-adaz being prescribed by or in consultation with an ophthalmologist? If YES, go to 33.   Yes   Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.   Yes   Yes   Q34. Was the tuberculin skin test negative?   Yes   No   Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?		
go to 33.   Yes   Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.   Yes   No     Q34. Was the tuberculin skin test negative?   Yes   No     Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?	□ Yes	□ No
Q33. Has the patient been evaluated for active or latent tuberculosis (TB) infection with a tuberculin skin test prior to the initiation of therapy? If YES, go to 34.   Yes No   Q34. Was the tuberculin skin test negative?   Yes   No   Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?		
tuberculin skin test prior to the initiation of therapy? If YES, go to 34.   Yes   No     Q34. Was the tuberculin skin test negative?   Yes   No     Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?	□ Yes	□ No
Q34. Was the tuberculin skin test negative?         □ Yes       □ No         Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?		
☐ Yes ☐ No Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?	☐ Yes	□ No
Q35. Has the patient received appropriate prophylaxis in accordance with Centers for Disease Control and Prevention (CDC) guidelines?	Q34. Was the tuberculin skin test negative?	
Control and Prevention (CDC) guidelines?	□ Yes	□ No
□ Yes □ No		
	□ Yes	□ No

Prescriber Signature

Date

v2025